



UGO[®]
s a f e t y

CATALOGUE



RESPIRATORY PROTECTION

9006 SILICONE FULL FACEPIECE REUSABLE RESPIRATOR





RESPIRATORY PROTECTION

8809 SILICONE HALF FACEPIECE REUSABLE RESPIRATOR



Advance silicone integrated body for safety, comforts, and durability

Body: easy to disassemble, clean and reuse

Organic /Acid Gas Cartridges

Adjustable elastic belt to perfectly fit your face/head

Bottom exhale valve with drainage function to reduce hot air circulation



RESPIRATORY PROTECTION


CARTRIDGES & FILTERS



9013 UGO SAFETY® Organic Gas Filter, i.e benzene, gasoline, acetone, carbon disulfide, alcohols, ether, aldehyde, carbon tetrachloride, three potassium chloride, selfsame, methyl c chloride, nitrobenzene, nitroalkane, chloropicrin. Typical application: painting, grinding, welding, woodworking, maintenance workshop, etc.



9017 UGO SAFETY® Acid Gas Filter, i.e SO₂, Chlorine, H₂S, nitrogen oxide, phosgene, phosphorus, chlorine organic pesticide, etc



9020 UGO SAFETY® Multifunctional Integrated Gas Filter, protect from Organic, Inorganic, Acidic and Alkaline Gases.



9101 Pre-Filter Cotton, effectively filter dusts and all kind of paint mist. It can also prolonged lifetime the use of gas cartridges. Use it together with 9108 Filter Cotton Cover.



9108 Filter Cotton Cover.
High temperature resistance.



FALL PROTECTION

11001BH US PRO FULL BODY HARNESS





FALL PROTECTION

11002 US FULL BODY HARNESS

Large D-Ring for easy connection



5 Points of Adjustment ensures a good fit

2 lanyard parks on chest strap for easy storage

Fall Indicator for easy inspection

Sub Pelvic Strap for added safety and comfort

SHOCK ABSORBING LANYARD

Rope type.





HEARING PROTECTION

EC-2001C CORDED REUSABLE EARPLUGS

- Pure silicone earplug for low pressure inside ear canal.
- Meet CE, ANSI and AS/NZS 1270 standards.
- Reusable, easy to wash and clean.
- Humidity and sweat resistant.
- Fixed umbrella shape for a snug fit while gently conforming to the ear canal.
- High visibility colour for easy compliance check.
- Earplugs case included.

SNR: 32dB

NRR: 26dB

CSA CLASS AL

SLC(80) 24dB Class 4





HEARING PROTECTION

EC-1003A/C DISPOSABLE EARPLUGS



- Soft polyurethane foam earplugs.
- Meet CE, ANSI and AS/NZS 1270 standards.
- These earplugs are intended for single use only.
- Individually packed for convenience.
- Universal fit to suit most ear canals.
- Optimal expansion rate for perfect fitting.
- High visibility colour for easy compliance check.
- Available with cord and without cord.

SNR: 37dB

NRR: 31dB

CSA CLASS AL

SLC(80) 26.4dB Class 5



HAND PROTECTION

P8003A PU LITEFIT GLOVES



Available in size: S (7), M (8), L (9), and XL (10)
Packaging: 1 pack = 12 pairs



HAND PROTECTION

CRG505 CUT RESISTANT GLOVES LEVEL C



Smooth polyurethane coating
for enhanced grip

Providing the best dexterity
and tactile sensitivity

HPPE cut resistant liner
Level C



Available in size: M (8), L (9), and XL (10)
Packaging: 1 pack = 12 pairs



HAND PROTECTION

CHG710 CHEMICAL RESISTANT GLOVES



15mil thickness ensures excellent dexterity

Textured fingertips and palm for extra grip

Cotton flocking: sweat absorbent, enhances comfort



EN388:2016



4101X

EN ISO 374-5:2016



EN ISO 374-1:2016/
Type A



AJKLOPT

Available in size: M (8), L (9), and XL (10)

Packaging: 1 pack = 12 pairs



HAND PROTECTION

B899 BLACK NITRILE GLOVES



Available in size : S, M, L, and XL

Packaging: 1 box = 100 gloves

UGO Safety® B899 Black Nitrile Gloves produced and packed in an HACCP system certified facility and in compliance with US FDA requirement.



HAIRNET

DISPOSABLE MOB CAP

- Prevent hair from falling, reduce risk of contamination
- Double-stitched elastic design
- Lightweight, soft and comfortable to wear
- One size fits all
- Liquid resistance
- AATCC 42 - 2017 | Impact Penetration
- Hygiene Purposes

Available Color: White and Green

Packaging: 1 box = 50 caps



KEMENKES RI AKD No: 11603222915





FOOT PROTECTION

ST11BLK SAFETY SHOES TECHNOLOGY BY SIMON JAPAN

Top-line cushion implements soft supports of ankles.

Breathable mesh for air circulation inside the shoes.
Also available: Polyester upper for water, oil and dust resistance.



Lightweight and unique design of outsole to reduce fatigue on legs.

Improved Polyurethane outsole for better grip and excellent water and oil resistant.

Heat Resistance up to 80°C

Comfortable wide steel toe-cap:
Impact Resistance of 200J and
Compression Resistance of 15kN

Passes EN ISO 20345-2011 and SNI 7079:2009 testing for toe-cap standard and outsole construction.



WELDING PROTECTION

XA-1006 VARIABLE ADF WELDING HELMET

Larger Viewing Area



A robust and lightweight black helmet

External control for Shades adjustment and Grinding function

Sensitivity Control



Delay Control

Variable shade: 4 / 9-13



DIN EN 379:2009-07
DIN EN 175:1997-08

ANSI
Z87.1

CAN/CSA
Z94.3



All UGO SAFETY® product are tested to meet or exceed the rigorous standards for quality and safety performance.

 www.ugo-safety.com  [@ugosafety](https://www.instagram.com/ugosafety)  [UGO safety](https://www.youtube.com/UGOsafety)

 marketing@ugo-safety.com